


Pan International srl  
Via G. Michelucci, 1  
50028 Tavarnelle Val di Pesa  
Florence - Italy  
www.panint.it

## TECNO LED


Bulbs  
Lampadine



### DIMENSIONS



u=mm



cd  
— C0 · C180



### Technical Operating Data

Product	Color	Number of LEDs	Lamp Fitting	Voltage [V]	Power [W]	Viewing Angle [°]	Color Temp [K]	Lum. Intensity [cd]	Lum. Flux [Φ]
LED 3000	cool white	21	E14	230	3	180	4700 K	14	180 lm
LED 3001	warm white	21	E14	230	3	180	3500 K	14	170 lm

Average Lifetime	Protection level	Luminous Efficacy [lm/W]	Colour Rendering Index	Equal to Incandescent Lamp
35000 hr	IP20	67	79	25-30 W
35000 hr	IP20	63	68	25-30 W


Pan International srl  
Via G. Michelucci, 1  
50028 Tavarnelle Val di Pesa  
Florence - Italy  
www.panint.it

## TECNO LED


Bulbs  
Lampadine



### DIMENSIONS



u=mm



cd  
— C0 · C180



## Technical Operating Data

Product	Color	Number of LEDs	Lamp Fitting	Voltage [V]	Power [W]	Viewing Angle [°]	Color Temp [K]	Lum. Intensity [cd]	Lum. Flux [Φ]
LED 3005	cool white	30	E27	230	2	160	4700 K	24	100 lm
LED 3006	warm white	30	E27	230	2	160	3500 K	24	100 lm

Average Lifetime	Protection level	Luminous Efficacy [lm/W]	Colour Rendering Index	Equal to Incandescent Lamp
35000 hr	IP20	56	76	10-15 W
35000 hr	IP20	56	68	10-15 W